

Distributed by:






www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 135694

Date	Rev.	Description
7/29/21	-*	add mounting hole dimensions




DCC. NO.
A4 DRAWING NO.

MATERIAL		GOLDSUN ELECTRONICS CO., LTD.		
DRAWN: Kiki Chen		JAMECO NO. 135694	GOLDSUN NO. TQ-050F-R	
VERIFY PEOPLE: Ada Zheng , Ivy Lan		Description SQUARE FERRITE SPEAKER		Rev. 1
		UNIT: mm	SCALE:	SHEET 1 OF 1 CAS No: ERN No:

Date	Rev.	Description

Nominal Size	50mm	2"inch
Impedance	$8\Omega \pm 15\%$	at. 800 Hz 1 /v.
Resonance fo	450Hz $\pm$ 90Hz	fo Hz 1 /v
S.P.Level	82dB/w $\pm$ 3dB	0.2W 50cm
Response	FoHz3.2KHz-10Db	1K.1.5K.1.7K.2K.Hz-Av
Input Power	Nominal input 0.2 W	Handling Capacity 0.5 W
Operation	Must be normal at program Source 0.2 W.	
Buzz Rattle etc	Must be normal at Sine Wave 1.26 V.	
Flux Density	6000	Gauss
Total Flux	12000	Maxwellmin
Magnet	Ferrite 32*18*6 mm	16.5 gr 0.58 Oz



DCC. NO.

A4 DRAWING NO.

MATERIAL		GOLDSUN ELECTRONICS CO., LTD.		
DRAWN: Kiki Chen		JAMECO NO. 135694	GOLDSUN NO. TQ-050F-R	
VERIFY PEOPLE: Ada Zheng , Ivy Lan		Description SQUARE FERRITE SPEAKER		Rev. 2
UNIT: mm	SCALE:	SHEET 1 OF 1	CAS No: ERN No:	