

Distributed by:


JAMECO[®]
ELECTRONICS

www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 737871

LOC	DIST	P	F	ZONE	LTR	REVISIONS	DATE	APPD
AD	39				B	REV PER AR-2700	9-28-89	SAS/
					C	REV LOC & DIST AD-4171	3-90	BF
					D	ECN AD-4707	08/02/90	KIH
					E	REV PER AD-5084	1-30-91	-
					F	REV PER ECN AD-5526	04/03/91	KIH
					G	REV PER AD-6098	8/21/92	HP
					H	REV PER 0010-0329-92	5/25/93	HP
					J	REV PER 0010-0948-94 JK	8-15-94	JK
					K	REV PER ECN.0010-0051-95 TH	3/15/95	JK
					L	REV PER 0310-0427-97	02-FEB-98	SAS
					M	REV PER 063C-0142-02	23APR02	JG




STANDOFFS:
3 TRHU 9 POSN - (2 REQD) ON OUTSIDE ENDS OF HOUSING
10 THRU 18 POSN - (3 REQD) TWO ON OUTSIDE ENDS AND
ONE CENTERED ON HOUSING
19 POSN AND LARGER - (4 REQD) TWO ON OUTSIDE ENDS
AND TWO EVENLY SPACED WITHIN
REMAINING LENGTH OF HOUSING

RECESSED DATE CODE



.000030 GOLD IN CONTACT AREA, .000100-.000200 TIN-LEAD IN SOLDER
AREA, ALL OVER .000050 MIN NICKEL

POINT OF MEASUREMENT FOR GOLD PLATING THICKNESS

FOR 3 POS ONLY, ONE SLOT .215 WIDE.



SECTION X-X



RECOMMENDED HOLE LAYOUT

OB5OLETE	3.720	3.640	3.500	35	36	3-103361-4
OB5OLETE	3.620	3.540	3.400	34	35	3-103361-3
OB5OLETE	3.520	3.440	3.300	33	34	3-103361-2
OB5OLETE	3.420	3.340	3.200	32	33	3-103361-1
OB5OLETE	3.320	3.240	3.100	31	32	3-103361-0
OB5OLETE	3.220	3.140	3.000	30	31	2-103361-9
OB5OLETE	3.120	3.040	2.900	29	30	2-103361-1
OB5OLETE	3.020	2.940	2.800	28	29	2-103361-7
OB5OLETE	2.920	2.840	2.700	27	28	2-103361-6
OB5OLETE	2.820	2.740	2.600	26	27	2-103361-5
OB5OLETE	2.720	2.640	2.500	25	26	2-103361-4
	2.620	2.540	2.400	24	25	2-103361-3
	2.520	2.440	2.300	23	24	2-103361-2
	2.420	2.340	2.200	22	23	2-103361-1
	2.320	2.240	2.100	21	22	2-103361-0
	2.220	2.140	2.000	20	21	1-103361-9
	2.120	2.040	1.900	19	20	1-103361-8
	2.020	1.940	1.800	18	19	1-103361-7
	1.920	1.840	1.700	17	18	1-103361-6
	1.820	1.740	1.600	16	17	1-103361-5
	1.720	1.640	1.500	15	16	1-103361-4
	1.620	1.540	1.400	14	15	1-103361-3
	1.520	1.440	1.300	13	14	1-103361-2
	1.420	1.340	1.200	12	13	1-103361-1
	1.320	1.240	1.100	11	12	1-103361-0
	1.220	1.140	1.000	10	11	103361-9
	1.120	1.040	.900	9	10	103361-8
	1.020	.940	.800	8	9	103361-7
	.920	.840	.700	7	8	103361-6
	.820	.740	.600	6	7	103361-5
	.720	.640	.500	5	6	103361-4
	.620	.540	.400	4	5	103361-3
	.520	.440	.300	3	4	103361-2
	.420	.340	.200	2	3	103361-1
	D	C	B	A	NO. OF POSN	PART NO.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON :	DR 9-28-89 S.A.SHUEY	AMP INCORPORATED Harrisburg, Pa. 17105			
2 PL DEC ±- 3 PL DEC ±.005 ANGLES ±-	CHK 10-3-89 H. MOLL	NAME			
MATERIAL: HOUSING: FLAME RETARDANT THERMOPLASTIC; COLOR-BLACK	APPD 10-3-89 R. ELICKER	HEADER ASSEMBLY, MOD II, SINGLE ROW .100 CL, RIGHT ANGLE			
POSTS: PHOS BRONZE FINISH:	APPD 10-3-89 FLINCHBAUGH	PRODUCT SPEC			
POSTS: 3	APPLICATION SPEC	SIZE FSCM NO DRAWING NO			
	WEIGHT	D 00779 103361			
		SCALE 4:1 SHEET 1 OF 1			

-
- Home
- Part Number Search
- Document Search
- Text Search
- Alternate Part Search
- Multiple Part Comparison
- Alphabetical Search
- Brand Search
- Industry Product Search
- Product Type Search
- Product Family Search
- Competitor Cross Reference
- Lead Free Solutions
- Help/Glossary

Current Brand View

AMP

[View All Tyco Electronics Brands](#)
Click to activate links to all other products

AMPMODU

AMP.100 & .150 Centerline Through Hole Headers

AMP103361-1ActiveActive

(Tyco Electronics P/N: 103361-1)

[CAD Geometry](#) | [Search for Parts](#) | [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	3
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

AMP.100 & .150 Centerline Through Hole Headers

AMP103361-4ActiveActive

(Tyco Electronics P/N: 103361-4)

CAD Geometry | Search for Parts | Previous 1 2 3 [4] 5 6 7 8 9 10 Next

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	6
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP103361-9ActiveActive

(Tyco Electronics P/N: 103361-9)

Search for Parts |

Previous123456Next

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	11
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP1-103361-1ActiveActive

(Tyco Electronics P/N: 1-103361-1)

Search for Parts | Previous 1 2 3 4 5 [6]Next

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	13
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP1-103361-3ActiveActive

(Tyco Electronics P/N: 1-103361-3)

Search for Parts |

Previous

 1 2 **3** Next

N

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	15
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP1-103361-5ActiveActive

(Tyco Electronics P/N: 1-103361-5)

Search for Parts | Previous 1 2 3 4 5 [6]Next

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	17
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP1-103361-9ActiveActive

(Tyco Electronics P/N: 1-103361-9)

Search for Parts |

Previous

1

2

3

4

5

6

Next

N

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	21
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

[View All Tyco Electronics Brands](#)
Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP 2-103361-0 Active Active

(Tyco Electronics P/N: 2-103361-0)

[Search for Parts](#) | [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#) [N](#)

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

[Product Photo](#)

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	22
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP 2-103361-1 Active Active

(Tyco Electronics P/N: 2-103361-1)

Search for Parts | Previous 1 2 3 4 5 [6]Next

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	23
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)

-
- Home

Part Number Search

Document Search

Text Search

Alternate Part Search

Multiple Part Comparison

Alphabetical Search

Brand Search

Industry Product Search

Product Type Search

Product Family Search

Competitor Cross Reference

Lead Free Solutions

Help/Glossary

Current Brand View

AMP

View All Tyco Electronics Brands

Click to activate links to all other products

AMPMODU

.100 & .150 Centerline Through Hole Headers

AMP2-103361-3ActiveActive

(Tyco Electronics P/N: 2-103361-3)

Search for Parts |

Previous

 1 2 3 4 5

6

 Next

N

Document links for this part cannot be displayed. Your browser does not support inline frames or is currently configured not to display inline frames. Inline frames are supported in both Internet Explorer 5 and Netscape 6, as well as all later versions of these browsers.

Related Part Information		
General Information	eCommerce	Related Part Information
General Info Sales Info Assembly Subcontractors	Pricing Product Availability	

Photos & Line Drawings - The photographs and/or line drawings are representative images of a product for viewing purposes only.

Product Photo

Searchable Features:	
Brand:	AMP
Header Type:	Shrouded
No. of Rows:	Single
No. of Positions:	25
Profile:	Standard
Mount Angle:	Right Angle
PCB Retention Feature:	Without
Surface Mount Compatible:	No
Contact Mating Area Plating:	Gold (30)
Board Standoff:	With
Mounting Ears:	Without

Other Properties:	
Contact Shape:	Square
Post Size (mm [in]):	0.64 [.025]
Centerline, Matrix (mm [in]):	2.54 [.100]
Mating Post Length (mm [in]):	6.10 [0.240]
Contact Material:	Phosphor Bronze
Housing Material:	Thermoplastic
Contact Termination Area Plating:	Tin-Lead over Nickel
Housing Color:	Black
Gender:	Header
Housing Flammability Rating:	UL 94V-0

Panel Attachment:	No
Mating Connector Lock:	Without
High Temperature Housing:	No
Housing Style:	4-Sided
High Speed Serial Data Connector:	No
Termination Post Length (mm [in]):	2.79 [0.110]

[Copyright](#) and [Privacy Statement](#)

Visit [Tyco International, Ltd.](#)

[Products](#) | [Catalog](#) | [Brands](#) | [Industries](#) | [Commerce](#) | [Supplier](#) | [Customer Service](#) | [About](#) | [Home](#)