

Distributed by:

JAMECO[®]
ELECTRONICS

www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 738371

LOC	DIST	REVISIONS				
		F	LTR	DESCRIPTION	DATE	DWN APVD
AD	00		U	EC 0G3C 0786 04	25-01-05	BSV JLG

- 1

.00076[.000030] GOLD IN THE CONTACT AREA,
.00254[.000100] MATTE TIN-LEAD ON REMAINDER OF CONTACT,
ALL OVER .00127[.000050] NICKEL.
- 2

POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 3

THE NOTED DIMENSIONS APPLY AT THE INTERSECTION
OF THE POST AND THE HOUSING.
- 4

ON ASSEMBLIES WITH FOUR OR MORE POSITIONS,
TWO POLARIZATION SLOTS.
ON ASSEMBLIES WITH TWO OR THREE POSITIONS,
ONE POLARIZATION SLOT.
- 5

.00076[.000030] GOLD IN THE CONTACT AREA,
.00254[.000100] MATTE TIN ON REMAINDER OF CONTACT,
ALL OVER .00127[.000050] NICKEL.
- 6

HIGH TEMPERATURE CONFIGURATION
- 7

STANDOFFS NOT PRESENT ON UNDERSIDE OF ASSEMBLY

	1	64.01 [2.520]	66.04 [2.600]	24	25	2-103735-4
	1	61.47 [2.420]	63.50 [2.500]	23	24	2-103735-3
	1	58.93 [2.320]	60.96 [2.400]	22	23	2-103735-2
	1	56.39 [2.220]	58.42 [2.300]	21	22	2-103735-1
	1	53.85 [2.120]	55.88 [2.200]	20	21	2-103735-0
	1	51.31 [2.020]	53.34 [2.100]	19	20	1-103735-9
	1	48.77 [1.920]	50.80 [2.000]	18	19	1-103735-8
	1	46.23 [1.820]	48.26 [1.900]	17	18	1-103735-7
	1	43.69 [1.720]	45.72 [1.800]	16	17	1-103735-6
	1	41.15 [1.620]	43.18 [1.700]	15	16	1-103735-5
	1	38.61 [1.520]	40.64 [1.600]	14	15	1-103735-4
	1	36.07 [1.420]	38.10 [1.500]	13	14	1-103735-3
	1	33.53 [1.320]	35.56 [1.400]	12	13	1-103735-2
	1	30.99 [1.220]	33.02 [1.300]	11	12	1-103735-1
	1	28.45 [1.120]	30.48 [1.200]	10	11	1-103735-0
	1	25.91 [1.020]	27.94 [1.100]	9	10	103735-9
	1	23.37 [.920]	25.40 [1.000]	8	9	103735-8
	1	20.83 [.820]	22.86 [.900]	7	8	103735-7
	1	18.29 [.720]	20.32 [.800]	6	7	103735-6
	1	15.75 [.620]	17.78 [.700]	5	6	103735-5
	1	13.21 [.520]	15.24 [.600]	4	5	103735-4
	1	10.67 [.420]	12.70 [.500]	3	4	103735-3
	1	8.13 [.320]	10.16 [.400]	2	3	103735-2
	1	5.59 [.220]	7.62 [.300]	1	2	103735-1

REMARKS		PLATING		C	B	A	NO. OF POSN		PART NO.						
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN S. SHUEY		3-5-91		tyco Electronics		Tyco Electronics Corporation Harrisburg, Pa 17105-3608					
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK L. CASTAGNA		3-27-91									
				APVD L. CASTAGNA		3-27-91		NAME							
		0 PLC ± - 1 PLC ± - 2 PLC ± 0.13[.005] 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC		HDR ASSY, VERT, SINGLE ROW 2.54[.100] C, 0.64[.025] SQ POST, WITH PLZN & LATCHING, AMPMODU MTE									
				APPLICATION SPEC											
				—											
MATERIAL HOUSING: FLAME RETARDANT THERMOPLASTIC CONTACTS: BRASS		FINISH SEE TABLE		WEIGHT		—		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
				—		A1		00779		C=103735		—			
CUSTOMER DRAWING						SCALE		4:1		SHEET		1 OF 2		REV U	

LOC	DIST	REVISIONS					
—	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

△ 6	△ 7	△ 5	64.01 [2.520]	66.04 [2.600]	24	25	7-103735-4
△ 6	△ 7	△ 5	61.47 [2.420]	63.50 [2.500]	23	24	7-103735-3
△ 6	△ 7	△ 5	58.93 [2.320]	60.96 [2.400]	22	23	7-103735-2
△ 6	△ 7	△ 5	56.39 [2.220]	58.42 [2.300]	21	22	7-103735-1
△ 6	△ 7	△ 5	53.85 [2.120]	55.88 [2.200]	20	21	7-103735-0
△ 6	△ 7	△ 5	51.31 [2.020]	53.34 [2.100]	19	20	6-103735-9
△ 6	△ 7	△ 5	48.77 [1.920]	50.80 [2.000]	18	19	6-103735-8
△ 6	△ 7	△ 5	46.23 [1.820]	48.26 [1.900]	17	18	6-103735-7
△ 6	△ 7	△ 5	43.69 [1.720]	45.72 [1.800]	16	17	6-103735-6
△ 6	△ 7	△ 5	41.15 [1.620]	43.18 [1.700]	15	16	6-103735-5
△ 6	△ 7	△ 5	38.61 [1.520]	40.64 [1.600]	14	15	6-103735-4
△ 6	△ 7	△ 5	36.07 [1.420]	38.10 [1.500]	13	14	6-103735-3
△ 6	△ 7	△ 5	33.53 [1.320]	35.56 [1.400]	12	13	6-103735-2
△ 6	△ 7	△ 5	30.99 [1.220]	33.02 [1.300]	11	12	6-103735-1
△ 6	△ 7	△ 5	28.45 [1.120]	30.48 [1.200]	10	11	6-103735-0
△ 6	△ 7	△ 5	25.91 [1.020]	27.94 [1.100]	9	10	5-103735-9
△ 6	△ 7	△ 5	23.37 [.920]	25.40 [1.000]	8	9	5-103735-8
△ 6	△ 7	△ 5	20.83 [.820]	22.86 [.900]	7	8	5-103735-7
△ 6	△ 7	△ 5	18.29 [.720]	20.32 [.800]	6	7	5-103735-6
△ 6	△ 7	△ 5	15.75 [.620]	17.78 [.700]	5	6	5-103735-5
△ 6	△ 7	△ 5	13.21 [.520]	15.24 [.600]	4	5	5-103735-4
△ 6	△ 7	△ 5	10.67 [.420]	12.70 [.500]	3	4	5-103735-3
△ 6	△ 7	△ 5	8.13 [.320]	10.16 [.400]	2	3	5-103735-2
△ 6	△ 7	△ 5	5.59 [.220]	7.62 [.300]	1	2	5-103735-1

REMARKS	PLATING	C	B	A	NO. OF POSN	PART NO.
---------	---------	---	---	---	-------------------	----------

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN S. SHUEY 3-5-91	tyco Electronics		Tyco Electronics Corporation Harrisburg, Pa 17105-3608		
DIMENSIONS: mm [INCHES]			CHK L CASTAGNA 3-27-91	APVD L CASTAGNA 3-27-91		NAME		
			TOLERANCES UNLESS OTHERWISE SPECIFIED:			HDR ASSY, VERT, SINGLE ROW		
			0 PLC ± -			2.54[.100] C, 0.64[.025] SQ POST,		
			1 PLC ± -			WITH PLZN & LATCHING, AMPMODU MTE		
			2 PLC ± -					
3 PLC ± -			APPLICATION SPEC			SIZE		
4 PLC ± -			—			CAGE CODE		
ANGLES			—			DRAWING NO		
FINISH			WEIGHT			RESTRICTED TO		
MATERIAL			SEE TABLE			A1 00779 C=103735		
HOUSING: TYPIC REINFORCED THERMOPLASTIC COLOUR: BLACK			CUSTOMER DRAWING			SCALE 4:1		
CONTACTS: BRASS						SHEET 2 OF 2		
						REV U		