




Distributed by:



www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 846268





1. PARTS COMPLY TO AMP SOLDERABILITY SPECIFICATION 109-11-3.

2. CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN LEAD ON SOLDER TAIL END.


3. CIRCUIT IDENTIFICATION CHARACTERS ARE ADJACENT TO THE INDICATED CAVITIES, BUT LOCATION AND ORIENTATION MAY DIFFER FROM PRINT.

4. DIMENSIONS IN BRACKETS ARE IN INCHES.

5. CONTACT IS PLATED OVERALL WITH 0.00127 [.000050] NICKEL, THEN 0.00076 [.000030] GOLD OVER CONTACT LENGTH INDICATED AND MATTE TIN LEAD ON SOLDER TAIL END.



3-DIMENSIONAL MODEL
NTS



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 [.062] THICK P.C. BOARD

PHOSPHOR BRONZE, GOLD	NYLON,UL94V-2,NATURAL	350759-5
PHOSPHOR BRONZE, PRE-TIN	NYLON,UL94V-2,NATURAL	350759-4
PHOSPHOR BRONZE, GOLD	NYLON,UL94V-2,NATURAL	350759-3
CONTACT MATERIAL AND FINISH		HOUSING MATERIAL
		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.	DIV K. WHITAKER 21JULY2005	tyco	Tyco Electronics Corporation
	NAME S. RIDGILL 21JULY2005		Harrisburg, Pa 17105-3608
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:		
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC	± - ± 0.13 [.005] ± - ± - ± 0.30'		
PRODUCT SPEC			SOCKET HEADER ASSEMBLY,
APPLICATION SPEC			2 CIRCUIT
FINISH			UNIVERSAL MATE-N-LOK™
SEE TABLE			SIZE CAGE CODE DRAWING NO
MATERIAL			WEIGHT A1 00779 C 350759
SEE TABLE			RESTRICTED TO
MATERIALS			CUSTOMER DRAWING
SEE TABLE			SCALE 5:1 SHEET 1 OF 1 REV R

METRIC